

Notice of Allowability

Application No.

09/615,922

Examiner

Gregory D. Thompson

Applicant(s)

KORINSKY ET AL.

Art Unit

2835

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amdt filed 2/7/05 and interviews on 3/15;3/16/05.
2. ☒ The allowed claim(s) is/are 1-8,15-24 and 28-30.
3. ☒ The drawings filed on 13 January 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date 3/15/05;3/16/05.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

Gregory Thompson
Primary Examiner

Gregory D. Thompson
Primary Examiner
Art Unit: 2835

Art Unit: 2835

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Claim 1, line 3 delete "adapted" and change ";" to - - , - - .

Line 4 delete " each and " and insert - - ; - - .

Line 5 delete " adaptedthe".

Line 6 delete " housing , the air moving device" and delete " . " and insert - - ; and

an interchangeable cooling attachment to couple the air moving device to the first end or the second end of the housing and to position the air moving device at a distance from the housing that is about equal to or less than a diameter of the air moving device.
- - .

Claim 2, line 2 after "the"(first occurrence) insert - - first end or the - - .

Cancel claims 9 and 10.

Claim 15, line 8 delete "and ".

Between lines 8 and 9 insert - - a fan holder coupled to the housing ; and - - .

Line 9 delete "housing" and insert - - fan holder- - .

Claim 20, between lines 3 and 4 insert – interchangeably coupling a fan housing adapter to the housing- - .

Line 4 delete "housing" and insert - - fan housing adapter - - after "distance" insert - - from the heat sink - - .

Art Unit: 2835

Claim 28 , line 2 delete " adapted ".

Line 3 delete " and ".


Claim 28, between lines 3 and 4 insert - -one or more fan holders to hold a fan at a distance from the heat sink that is about equal to or less than a diameter of the fan ; and
- -.

Line 5 after " housings " insert - - and the one or more fan holders - - .

2. Authorization for this examiner's amendment was given in a telephone interview with Ann M. McCrackin on 3/15/05 and 3/16/05.

3 Any inquiry concerning this communication should be directed to Gregory D. Thompson at telephone number (571) 272-2045.

Gregory D Thompson
Primary Examiner
Art Unit 2835

A handwritten signature in black ink that reads "Gregory D Thompson". The signature is stylized with a large, looped "G" and a cursive "D".

Gregory Thompson
Primary Examiner